

## Ch. 1 Graphs

### 1.1 The Distance and Midpoint Formulas

#### 1 Rectangular Coordinates

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

Name the quadrant in which the point is located.

1) (19, 6)

A) I

B) II

C) III

D) IV

2) (-8, 9)

A) I

B) II

C) III

D) IV

3) (-14, -7)

A) I

B) II

C) III

D) IV

4) (2, -18)


A) I

B) II

C) III

D) IV

Identify the points in the graph for the ordered pairs.



5) (0, 2), (4, 3)

A) C and E

B) F and E

C) B and C

D) C and K

6) (-5, -4), (0, -3)

A) I and J

B) A and G

C) G and I

D) A and J

7) (-3, 4), (2, 0), (4, -5)

A) B, F, and L

B) B, C, and L

C) F, K, and L

D) A, B, and F

8) (3, 5), (-3, 0)

A) D and G


B) D and J

C) I and G

D) L and J

Give the coordinates of the points shown on the graph.


9)



- A)  $A = (3, 4), B = (-5, 7)$   
C)  $A = (3, 7), B = (4, 7)$

- B)  $A = (4, 22), B = (7, -5)$   
D)  $A = (3, 4), B = (7, -5)$


10)



- A)  $C = (-4, 2), D = (3, -5)$   
C)  $C = (-4, -5), D = (2, -5)$

- B)  $C = (2, -4), D = (-5, 3)$   
D)  $C = (-4, 2), D = (-5, 3)$


11)



- A)  $E = (-3, 5), F = (-6, -2)$   
C)  $E = (-3, -2), F = (5, -2)$

- B)  $E = (5, -3), F = (-2, -6)$   
D)  $E = (-6, -2), F = (-3, 5)$

12)




- A)  $G = (7, -6)$ ,  $H = (-6, 3)$   
C)  $G = (7, 3)$ ,  $H = (-6, 3)$


- B)  $G = (-6, 7)$ ,  $H = (3, -6)$   
D)  $G = (7, -6)$ ,  $H = (3, -6)$

Plot the point in the  $xy$ -plane. Tell in which quadrant or on what axis the point lies.

13) (4, 2)




A)




Quadrant I

B)




Quadrant I

C)




Quadrant II

D)




Quadrant IV

14)  $(-2, 6)$




A)




Quadrant II

B)




Quadrant IV

C)




Quadrant I

D)




Quadrant III

15) (1, -5)




A)




Quadrant IV

B)




Quadrant II

C)




Quadrant III

D)




Quadrant I

16)  $(-5, -4)$




A)




Quadrant III

B)




Quadrant III

C)




Quadrant IV

D)




Quadrant II

17)  $(0, -4)$




A)




y-axis

B)




x-axis

C)




Quadrant II

D)




y-axis

18)  $(-6, 0)$




A)



x-axis


B)



y-axis




C)



Quadrant II

D)




x-axis

## 2 Use the Distance Formula

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

Find the distance  $d(P_1, P_2)$  between the points  $P_1$  and  $P_2$ .

1)




A)  $2\sqrt{5}$

B)  $\sqrt{2}$

C) 3

D) 1

2)




A)  $\sqrt{130}$

B)  $4\sqrt{2}$

C) 63


D) 2

3)



- A)  $2\sqrt{5}$       B)  $12\sqrt{3}$       C) 12      D) 2

4)



- A)  $3\sqrt{13}$       B)  $45\sqrt{5}$       C) 45      D) 3

5)  $P_1 = (5, 5)$ ;  $P_2 = (5, -1)$

- A) 6      B)  $\sqrt{6}$       C) 7      D) 5

6)  $P_1 = (1, -3)$ ;  $P_2 = (-7, 3)$

- A) 10      B) 100      C) 11      D) 20

7)  $P_1 = (0, 10)$ ;  $P_2 = (-3, 10)$

- A) 3      B) 10      C)  $\sqrt{109}$       D) 9

8)  $P_1 = (0, 0)$ ;  $P_2 = (9, 3)$

- A)  $3\sqrt{10}$       B) 90      C) 12      D)  $3\sqrt{3}$

9)  $P_1 = (6, 2)$ ;  $P_2 = (-2, -1)$

- A)  $\sqrt{73}$       B)  $\sqrt{55}$       C) 24      D) 5

10)  $P_1 = (6, -4)$ ;  $P_2 = (2, -2)$

- A)  $2\sqrt{5}$       B)  $12\sqrt{3}$       C) 12      D) 6

- 11)  $P_1 = (-7, -2)$ ;  $P_2 = (7, -6)$   
 A)  $2\sqrt{53}$                       B)  $180\sqrt{5}$                       C) 180                      D) 18
- 12)  $P_1 = (-0.4, 0.5)$ ;  $P_2 = (-2.2, 2.8)$  Round to three decimal places, if necessary.  
 A) 2.921                      B) 20.5                      C) 9.236                      D) 3.021

**Decide whether or not the points are the vertices of a right triangle.**

- 13)  $(-9, 6)$ ,  $(-1, 6)$ ,  $(-1, 9)$   
 A) Yes                      B) No
- 14)  $(-8, 7)$ ,  $(-6, 11)$ ,  $(-4, 10)$   
 A) Yes                      B) No
- 15)  $(-10, -7)$ ,  $(-4, -5)$ ,  $(-5, -10)$   
 A) Yes                      B) No
- 16)  $(-6, -7)$ ,  $(0, -5)$ ,  $(6, -12)$   
 A) Yes                      B) No

**Solve the problem.**

- 17) Find all values of  $k$  so that the given points are  $\sqrt{29}$  units apart.  
 $(-5, 5)$ ,  $(k, 0)$   
 A) -3, -7                      B) -7                      C) 3, 7                      D) 7
- 18) Find the area of the right triangle ABC with  $A = (-2, 7)$ ,  $B = (7, -1)$ ,  $C = (3, 9)$ .  
 A) 29 square units                      B) 58 square units                      C)  $\frac{\sqrt{58}}{2}$  square units                      D)  $\frac{\sqrt{29}}{2}$  square units
- 19) Find all the points having an  $x$ -coordinate of 9 whose distance from the point  $(3, -2)$  is 10.  
 A)  $(9, 6)$ ,  $(9, -10)$                       B)  $(9, 2)$ ,  $(9, -4)$                       C)  $(9, -12)$ ,  $(9, 8)$                       D)  $(9, 13)$ ,  $(9, -7)$
- 20) A middle school's baseball playing field is a square, 60 feet on a side. How far is it directly from home plate to second base (the diagonal of the square)? If necessary, round to the nearest foot.  
 A) 85 feet                      B) 86 feet                      C) 84 feet                      D) 92 feet
- 21) A motorcycle and a car leave an intersection at the same time. The motorcycle heads north at an average speed of 20 miles per hour, while the car heads east at an average speed of 48 miles per hour. Find an expression for their distance apart in miles at the end of  $t$  hours.  
 A)  $52t$  miles                      B)  $t\sqrt{68}$  miles                      C)  $52\sqrt{t}$  miles                      D)  $2t\sqrt{13}$  miles
- 22) A rectangular city park has a jogging loop that goes along a length, width, and diagonal of the park. To the nearest yard, find the length of the jogging loop, if the length of the park is 125 yards and its width is 75 yards.  
 A) 346 yards                      B) 146 yards                      C) 345 yards                      D) 145 yards

23) Find the length of each side of the triangle determined by the three points  $P_1$ ,  $P_2$ , and  $P_3$ . State whether the triangle is an isosceles triangle, a right triangle, neither of these, or both.

$$P_1 = (-5, -4), P_2 = (-3, 4), P_3 = (0, -1)$$

A)  $d(P_1, P_2) = 2\sqrt{17}$ ;  $d(P_2, P_3) = \sqrt{34}$ ;  $d(P_1, P_3) = \sqrt{34}$

both

B)  $d(P_1, P_2) = 2\sqrt{17}$ ;  $d(P_2, P_3) = \sqrt{34}$ ;  $d(P_1, P_3) = \sqrt{34}$

isosceles triangle

C)  $d(P_1, P_2) = 2\sqrt{17}$ ;  $d(P_2, P_3) = \sqrt{34}$ ;  $d(P_1, P_3) = 5\sqrt{2}$

right triangle

D)  $d(P_1, P_2) = 2\sqrt{17}$ ;  $d(P_2, P_3) = \sqrt{34}$ ;  $d(P_1, P_3) = 5\sqrt{2}$

neither

### 3 Use the Midpoint Formula

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

Find the midpoint of the line segment joining the points  $P_1$  and  $P_2$ .

1)  $P_1 = (4, 9)$ ;  $P_2 = (8, 1)$

A) (6, 5)

B) (12, 10)

C) (-4, 8)

D) (5, 6)

2)  $P_1 = (-2, 3)$ ;  $P_2 = (-4, -3)$

A) (-3, 0)

B) (1, 3)

C) (2, 6)

D) (-6, 0)

3)  $P_1 = (7, 1)$ ;  $P_2 = (-16, -16)$

A)  $\left(-\frac{9}{2}, -\frac{15}{2}\right)$

B)  $\left(\frac{23}{2}, \frac{17}{2}\right)$

C) (-9, -15)

D) (9, 15)

4)  $P_1 = (-0.2, -0.3)$ ;  $P_2 = (-2.1, -1.6)$

A) (-1.15, -0.95)

B) (-0.95, -1.15)

C) (-0.95, -0.65)

D) (-0.65, -0.95)

5)  $P_1 = (a, 2)$ ;  $P_2 = (0, 1)$

A)  $\left(\frac{a}{2}, \frac{3}{2}\right)$

B) (a, 3)

C)  $\left(-\frac{a}{2}, 1\right)$

D)  $\left(a, \frac{3}{2}\right)$

6)  $P_1 = (3a, 4)$ ;  $P_2 = (4a, 9)$

A)  $\left(\frac{7a}{2}, \frac{13}{2}\right)$

B) (7a, 13)

C) (a, 5)

D)  $\left(\frac{13a}{2}, \frac{7}{2}\right)$

**Solve the problem.**

7) If (-1, -5) is the endpoint of a line segment, and (2, -1) is its midpoint, find the other endpoint.

A) (5, 3)

B) (5, -9)

C) (-7, -13)

D) (7, 1)

8) If (-1, 2) is the endpoint of a line segment, and (-3, -2) is its midpoint, find the other endpoint.

A) (-5, -6)

B) (-5, 6)

C) (3, 10)

D) (-9, -2)

9) If (-2, -3) is the endpoint of a line segment, and (2, -4) is its midpoint, find the other endpoint.

A) (6, -5)

B) (6, -2)

C) (-10, -1)

D) (-4, 5)

10) If (4, -7) is the endpoint of a line segment, and (-1, -5) is its midpoint, find the other endpoint.

A) (-6, -3)

B) (-6, -9)

C) (14, -11)

D) (8, -17)

11) The medians of a triangle intersect at a point. The distance from the vertex to the point is exactly two-thirds of the distance from the vertex to the midpoint of the opposite side. Find the exact distance of that point from the vertex A(3, 4) of a triangle, given that the other two vertices are at (0, 0) and (8, 0).

A)  $\frac{2\sqrt{17}}{3}$

B)  $\frac{\sqrt{17}}{3}$

C) 2

D)  $\frac{8}{3}$

## 1.2 Graphs of Equations in Two Variables; Intercepts; Symmetry

### 1 Graph Equations by Plotting Points

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Determine whether the given point is on the graph of the equation.**

1) Equation:  $y = x^2 - \sqrt{x}$

Point: (-1, 0)

A) No

B) Yes

2) Equation:  $x^2 + y^2 = 4$


Point: (2, 2)

A) No


B) Yes

Graph the equation by plotting points.


3)  $y = x - 1$




A)




C)




B)




D)




4)  $y = 2x - 6$




A)




B)




C)




D)




5)  $y = -x^2 + 1$




A)




B)



C)




D)







6)  $3x + 2y = 6$




A)




B)




C)




D)




7)  $x^2 + 4y = 4$




A)




C)



B)



D)



**Solve the problem.**

8) If  $(a, 3)$  is a point on the graph of  $y = 2x - 5$ , what is  $a$ ?

A) 4

B) 1

C) -1

D) -4

9) If  $(3, b)$  is a point on the graph of  $3x - 2y = 17$ , what is  $b$ ?

A) -4

B) 4

C)  $\frac{23}{3}$

D)  $\frac{11}{3}$

10) The height of a baseball (in feet) at time  $t$  (in seconds) is given by  $y = -16x^2 + 80x + 5$ . Which one of the following points is not on the graph of the equation?

A) (2, 117)

B) (1, 69)

C) (3, 101)


D) (4, 69)

## 2 Find Intercepts from a Graph

MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

List the intercepts of the graph.

1)




A)  $(-2, 0), (2, 0)$

B)  $(0, -2), (2, 0)$

C)  $(0, -2), (0, 2)$

D)  $(-2, 0), (0, 2)$

2)




A)  $(0, -1)$

B)  $(0, 0)$

C)  $(-1, -1)$

D)  $(-1, 0)$


3)



A)  $\left\{-\frac{\pi}{2}, 0\right\}, (0, -4), \left\{\frac{\pi}{2}, 0\right\}$   
 C)  $\left\{0, -\frac{\pi}{2}\right\}, (-4, 0), \left\{0, \frac{\pi}{2}\right\}$

B)  $\left\{-\frac{\pi}{2}, 0\right\}, (-4, 0), \left\{\frac{\pi}{2}, 0\right\}$   
 D)  $\left\{0, -\frac{\pi}{2}\right\}, (0, -4), \left\{0, \frac{\pi}{2}\right\}$


4)



A)  $(-1, 0), (0, 3), (3, 0)$   
 C)  $(0, -1), (3, 0), (0, 3)$

B)  $(-1, 0), (0, 3), (0, 3)$   
 D)  $(0, -1), (0, 3), (3, 0)$

5)




A)  $(-6, 0)$

B)  $(0, -6)$

C)  $(6, 0)$

D)  $(0, 6)$


6)



- A)  $(-7, 0), (0, -7), (0, 7), (7, 0)$   
 C)  $(-7, 0), (0, -7), (0, 0), (0, 7), (7, 0)$

- B)  $(-7, 0), (0, 7)$   
 D)  $(0, 7), (7, 0)$


7)



- A)  $(3, 0), (1, 0), (-5, 0), (0, 3)$   
 C)  $(-3, 0), (1, 0), (5, 0), (0, 3)$

- B)  $(3, 0), (0, 3), (0, 1), (0, -5)$   
 D)  $(3, 0), (0, -3), (0, 1), (0, 5)$

8)



- A)  $(-4, 0), (0, 4), (4, 0)$

- B)  $(-2, 0), (0, 2), (2, 0)$

- C)  $(-2, 0), (0, 4), (2, 0)$

- D)  $(-2, 0), (2, 0)$

### 3 Find Intercepts from an Equation

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

List the intercepts for the graph of the equation.

1)  $y = x + 5$

A) (-5, 0), (0, 5)

B) (5, 0), (0, -5)

C) (-5, 0), (0, -5)

D) (5, 0), (0, 5)

2)  $y = -2x$

A) (0, 0)

B) (0, -2)

C) (-2, 0)

D) (-2, -2)

3)  $y^2 = x + 4$

A) (0, -2), (-4, 0), (0, 2)

C) (0, -2), (4, 0), (0, 2)

B) (-2, 0), (0, -4), (2, 0)

D) (2, 0), (0, 4), (0, -4)

4)  $y = \sqrt[8]{x}$

A) (0, 0)

B) (1, 0)

C) (0, 1)

D) (1, 1)

5)  $x^2 + y - 64 = 0$

A) (-8, 0), (0, 64), (8, 0)

C) (0, -8), (64, 0), (0, 8)

B) (-8, 0), (0, -64), (8, 0)

D) (8, 0), (0, 64), (0, -64)

6)  $4x^2 + 9y^2 = 36$

A) (-3, 0), (0, -2), (0, 2), (3, 0)

C) (-9, 0), (0, -4), (0, 4), (9, 0)

B) (-2, 0), (-3, 0), (3, 0), (2, 0)

D) (-4, 0), (-9, 0), (9, 0), (4, 0)

7)  $4x^2 + y^2 = 4$

A) (-1, 0), (0, -2), (0, 2), (1, 0)

C) (-2, 0), (0, -1), (0, 1), (2, 0)

B) (-1, 0), (0, -4), (0, 4), (1, 0)

D) (-4, 0), (0, -1), (0, 1), (4, 0)

8)  $y = x^3 - 125$

A) (0, -125), (5, 0)

B) (-125, 0), (0, 5)

C) (0, -5), (0, 5)

D) (0, -5), (-5, 0)

9)  $y = x^4 - 16$

A) (0, -16), (-2, 0), (2, 0)

C) (0, 16), (-2, 0), (2, 0)

B) (0, -16)

D) (0, 16)

10)  $y = x^2 + 8x + 15$

A) (-3, 0), (-5, 0), (0, 15)

C) (0, -3), (0, -5), (15, 0)

B) (3, 0), (5, 0), (0, 15)

D) (0, 3), (0, 5), (15, 0)

11)  $y = x^2 + 9$

A) (0, 9)

C) (9, 0), (0, -3), (0, 3)

B) (0, 9), (-3, 0), (3, 0)

D) (9, 0)

12)  $y = \frac{8x}{x^2 + 64}$

A) (0, 0)

C) (-64, 0), (0, 0), (64, 0)

B) (-8, 0), (0, 0), (8, 0)

D) (0, -8), (0, 0), (0, 8)

$$13) y = \frac{x^2 - 9}{3x^4}$$

A) (-3, 0), (3, 0)

C) (-9, 0), (0, 0), (9, 0)

B) (0, 0)


D) (0, -3), (0, 3)

#### 4 Test an Equation for Symmetry with Respect to the x-Axis, the y-Axis, and the Origin


MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Plot the point A. Plot the point B that has the given symmetry with point A.


1)  $A = (-1, -5)$ ; B is symmetric to A with respect to the x-axis




A)




B)



C)




D)







2)  $A = (0, 4)$ ; B is symmetric to A with respect to the origin




A)




B)



C)




D)




List the intercepts of the graph. Tell whether the graph is symmetric with respect to the x-axis, y-axis, origin, or none of these.

3)




- A) intercepts:  $(-1, 0)$  and  $(1, 0)$   
symmetric with respect to x-axis, y-axis, and origin
- B) intercepts:  $(-1, 0)$  and  $(1, 0)$   
symmetric with respect to origin
- C) intercepts:  $(0, -1)$  and  $(0, 1)$   
symmetric with respect to x-axis, y-axis, and origin
- D) intercepts:  $(0, -1)$  and  $(0, 1)$   
symmetric with respect to y-axis

4)



- A) intercepts:  $(0, 5)$  and  $(0, -5)$   
symmetric with respect to x-axis, y-axis, and origin
- B) intercepts:  $(0, 5)$  and  $(0, -5)$   
symmetric with respect to origin
- C) intercepts:  $(5, 0)$  and  $(-5, 0)$   
symmetric with respect to x-axis, y-axis, and origin
- D) intercepts:  $(5, 0)$  and  $(-5, 0)$   
symmetric with respect to y-axis


5)



- A) intercept:  $(0, 9)$   
no symmetry
- C) intercept:  $(0, 9)$   
symmetric with respect to x-axis

- B) intercept:  $(9, 0)$   
no symmetry
- D) intercept:  $(9, 0)$   
symmetric with respect to y-axis


6)



- A) intercept:  $(0, 6)$   
symmetric with respect to y-axis
- C) intercept:  $(6, 0)$   
symmetric with respect to y-axis

- B) intercept:  $(0, 6)$   
symmetric with respect to origin
- D) intercept:  $(6, 0)$   
symmetric with respect to x-axis


7)




- A) intercepts:  $(-3, 0)$ ,  $(0, 0)$ ,  $(3, 0)$   
symmetric with respect to origin
- B) intercepts:  $(-3, 0)$ ,  $(0, 0)$ ,  $(3, 0)$   
symmetric with respect to x-axis
- C) intercepts:  $(-3, 0)$ ,  $(0, 0)$ ,  $(3, 0)$   
symmetric with respect to y-axis
- D) intercepts:  $(-3, 0)$ ,  $(0, 0)$ ,  $(3, 0)$   
symmetric with respect to x-axis, y-axis, and origin

**Draw a complete graph so that it has the given type of symmetry.**


8) Symmetric with respect to the y-axis




A)




B)




C)




D)




9) origin




A)




B)




C)




D)




10) Symmetric with respect to the x-axis




A)




B)



C)



D)



List the intercepts and type(s) of symmetry, if any.

11)  $y^2 = -x + 9$

- A) intercepts: (9, 0), (0, 3), (0, -3)  
symmetric with respect to x-axis  
C) intercepts: (0, 9), (3, 0), (-3, 0)  
symmetric with respect to y-axis

- B) intercepts: (-9, 0), (0, 3), (0, -3)  
symmetric with respect to x-axis  
D) intercepts: (0, -9), (3, 0), (-3, 0)  
symmetric with respect to y-axis

12)  $16x^2 + 9y^2 = 144$

- A) intercepts: (3, 0), (-3, 0), (0, 4), (0, -4)  
symmetric with respect to x-axis, y-axis, and origin  
B) intercepts: (4, 0), (-4, 0), (0, 3), (0, -3)  
symmetric with respect to x-axis and y-axis  
C) intercepts: (3, 0), (-3, 0), (0, 4), (0, -4)  
symmetric with respect to x-axis and y-axis  
D) intercepts: (4, 0), (-4, 0), (0, 3), (0, -3)  
symmetric with respect to the origin

$$13) y = \frac{-x^3}{x^2 - 2}$$

- A) intercept: (0, 0)  
symmetric with respect to origin  
C) intercept: (0, 0)  
symmetric with respect to x-axis

- B) intercepts:  $(\sqrt{2}, 0)$ ,  $(-\sqrt{2}, 0)$ , (0, 0)  
symmetric with respect to origin  
D) intercept: (0, 0)  
symmetric with respect to y-axis

**Determine whether the graph of the equation is symmetric with respect to the x-axis, the y-axis, and/or the origin.**

$$14) y = x + 6$$

- A) x-axis  
B) y-axis  
C) origin  
D) x-axis, y-axis, origin  
E) none

$$15) y = 5x$$

- A) origin  
B) x-axis  
C) y-axis  
D) x-axis, y-axis, origin  
E) none

$$16) x^2 + y - 36 = 0$$

- A) y-axis  
B) x-axis  
C) origin  
D) x-axis, y-axis, origin  
E) none

$$17) y^2 - x - 25 = 0$$

- A) x-axis  
B) y-axis  
C) origin  
D) x-axis, y-axis, origin  
E) none

$$18) 4x^2 + 16y^2 = 64$$

- A) origin  
B) x-axis  
C) y-axis  
D) x-axis, y-axis, origin  
E) none

$$19) 16x^2 + y^2 = 16$$

- A) origin  
B) x-axis  
C) y-axis  
D) x-axis, y-axis, origin  
E) none



20)  $y = x^2 + 15x + 56$

- A) x-axis
- B) y-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

21)  $y = \frac{7x}{x^2 + 49}$

- A) origin
- B) x-axis
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

22)  $y = \frac{x^2 - 9}{3x^4}$

- A) y-axis
- B) x-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

23)  $y = 5x^2 - 2$

- A) y-axis
- B) x-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

24)  $y = (x - 7)(x + 5)$

- A) x-axis
- B) y-axis
- C) origin
- D) x-axis, y-axis, origin
- E) none

25)  $y = -5x^3 + 5x$

- A) origin
- B) x-axis
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

26)  $y = 9x^4 + 8x + 9$

- A) origin
- B) x-axis
- C) y-axis
- D) x-axis, y-axis, origin
- E) none

**Solve the problem.**

27) If a graph is symmetric with respect to the  $y$ -axis and it contains the point  $(5, -6)$ , which of the following points is also on the graph?

- A)  $(-5, 6)$                       B)  $(-5, -6)$                       C)  $(5, -6)$                       D)  $(-6, 5)$

28) If a graph is symmetric with respect to the origin and it contains the point  $(-4, 7)$ , which of the following points is also on the graph?


- A)  $(4, -7)$                       B)  $(-4, -7)$                       C)  $(4, 7)$                       D)  $(7, -4)$

**5 Know How to Graph Key Equations**


**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Graph the equation by plotting points.**


1)  $y = x^3$




A)




B)




C)




D)




2)  $x = y^2$




A)




B)




C)




D)




3)  $y = \sqrt{x}$




A)




B)




C)




D)




4)  $y = \frac{1}{x}$




A)




B)



C)



D)




## 1.3 Lines

### 1 Calculate and Interpret the Slope of a Line

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

Find the slope of the line through the points and interpret the slope.


1)



- A)  $\frac{1}{6}$ ; for every 6-unit increase in  $x$ ,  $y$  will increase by 1 unit
- B) 6; for every 1-unit increase in  $x$ ,  $y$  will increase by 6 units
- C)  $-\frac{1}{6}$ ; for every 6-unit increase in  $x$ ,  $y$  will decrease by 1 unit
- D) -6; for every 1-unit increase in  $x$ ,  $y$  will decrease by 6 units


Find the slope of the line.

2)



- A) -6
- B)  $-\frac{1}{6}$
- C) 6
- D)  $\frac{1}{6}$

3)




A) -1

B) 1

C) -5

D) 5

4)




A) 1

B) -1

C) 7

D) -7

5)



A)  $\frac{1}{4}$

B)  $-\frac{1}{4}$

C) 4

D) -4

Find the slope of the line containing the two points.

6) (5, -9); (-2, 6)

A)  $-\frac{15}{7}$

B)  $\frac{15}{7}$

C)  $\frac{7}{15}$

D)  $-\frac{7}{15}$

7)  $(2, 0); (0, 5)$

A)  $-\frac{5}{2}$

B)  $\frac{5}{2}$

C)  $\frac{2}{5}$

D)  $-\frac{2}{5}$

8)  $(2, 5); (-5, 2)$

A)  $\frac{3}{7}$

B)  $-\frac{3}{7}$

C)  $\frac{7}{3}$

D)  $-\frac{7}{3}$

9)  $(-3, -7); (-3, -3)$

A) 4

B)  $-\frac{1}{4}$

C) 0

D) undefined

10)  $(8, 2); (-8, 2)$

A) 0

B)  $\frac{1}{16}$

C) -16

D) undefined




## 2 Graph Lines Given a Point and the Slope


MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Graph the line containing the point P and having slope m.


1)  $P = (-2, -2)$ ;  $m = \frac{1}{3}$




A)




B)




C)




D)




2)  $P = (-4, -7)$ ;  $m = \frac{4}{3}$




A)




B)




C)




D)




3)  $P = (-4, -8)$ ;  $m = -1$




A)




B)




C)




D)




4)  $P = (0, 2)$ ;  $m = \frac{3}{5}$




A)




B)




C)




D)




5)  $P = (0, 2)$ ;  $m = -\frac{2}{3}$




A)




B)




C)




D)




6)  $P = (-3, 0)$ ;  $m = \frac{3}{2}$




A)




B)




C)




D)




7)  $P = (4, 0)$ ;  $m = -\frac{4}{3}$




A)




B)




C)




D)




8)  $P = (-10, 9)$ ;  $m = 0$




A)




B)



C)




D)







9)  $P = (-4, -9)$ ; slope undefined




A)




B)



C)



D)



### 3 Find the Equation of a Vertical Line

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Find an equation for the line with the given properties.**

1) Slope undefined; containing the point  $(2, -8)$

A)  $x = 2$

B)  $y = 2$

C)  $x = -8$

D)  $y = -8$

2) Vertical line; containing the point  $(-8, 1)$

A)  $x = -8$

B)  $y = -8$

C)  $x = 1$

D)  $y = 1$

3) Slope undefined; containing the point  $\left(-\frac{5}{7}, 4\right)$

A)  $x = -\frac{5}{7}$

B)  $y = 4$

C)  $y = -\frac{5}{7}$

D)  $x = 4$

4) Vertical line; containing the point  $(4.1, -4.2)$

A)  $x = 4.1$

B)  $x = -4.2$

C)  $x = 0$

D)  $x = 0.1$

#### 4 Use the Point-Slope Form of a Line; Identify Horizontal Lines

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Find the slope-intercept form of the equation of the line with the given properties.**

1) Horizontal; containing the point  $(1, 8)$

A)  $y = 8$

B)  $y = 1$

C)  $x = 8$

D)  $x = 1$

2) Slope = 0; containing the point  $(8, 10)$

A)  $y = 10$

B)  $y = 8$

C)  $x = 10$

D)  $x = 8$

3) Horizontal; containing the point  $\left(-\frac{3}{7}, 2\right)$

A)  $y = 2$

B)  $y = -\frac{3}{7}$

C)  $y = 0$

D)  $y = -2$

4) Horizontal; containing the point  $(-5.3, -4.0)$

A)  $y = -4.0$


B)  $y = -5.3$

C)  $y = 9.3$


D)  $y = 0$

**Find the slope of the line and sketch its graph.**


5)  $y - 5 = 0$




A) slope = 0




B) slope is undefined



C) slope = 5



D) slope =  $\frac{1}{5}$




## 5 Find the Equation of a Line Given Two Points

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

Find the equation of the line in slope-intercept form.

1)



A)  $y = 8x - 28$

B)  $y = \frac{1}{8}x + \frac{2}{7}$

C)  $y = 8x - 36$

D)  $y = 8x + 36$

**Find an equation for the line, in the indicated form, with the given properties.**

2) Containing the points (2, 5) and (-4, 4); slope-intercept form

A)  $y = \frac{1}{6}x + \frac{14}{3}$

B)  $y = mx + \frac{14}{3}$

C)  $y - 5 = \frac{1}{6}(x - 2)$

D)  $y = -\frac{1}{6}x + \frac{14}{3}$

3) Containing the points (8, -2) and (-5, 7); general form

A)  $9x + 13y = 46$

B)  $-9x + 13y = 46$

C)  $-10x + 12y = -34$

D)  $10x - 12y = -34$

4) Containing the points (8, 0) and (0, -7); general form

A)  $7x - 8y = 56$

B)  $7x + 8y = 56$

C)  $y = -\frac{7}{8}x - 7$

D)  $y = -\frac{7}{8}x + 8$

5) Containing the points (8, -3) and (6, 0); general form

A)  $3x + 2y = 18$

B)  $-3x + 2y = 18$

C)  $-11x - 6y = -66$

D)  $11x + 6y = -66$

6) Containing the points (5, 9) and (0, 5); general form

A)  $-4x + 5y = 25$

B)  $4x + 5y = 25$

C)  $4x + 5y = -25$

D)  $-4x - 5y = -25$

7) Containing the points (4, 0) and (-9, 6); general form

A)  $6x + 13y = 24$

B)  $-6x + 13y = 24$

C)  $-4x + 15y = -54$

D)  $4x - 15y = -54$

8) Containing the points (9, -3) and (5, -6); general form

A)  $-3x + 4y = -39$

B)  $3x + 4y = -39$

C)  $-12x - 11y = -126$

D)  $12x + 11y = -126$

**Solve.**

9) The relationship between Celsius ( $^{\circ}\text{C}$ ) and Fahrenheit ( $^{\circ}\text{F}$ ) degrees of measuring temperature is linear. Find an equation relating  $^{\circ}\text{C}$  and  $^{\circ}\text{F}$  if  $10^{\circ}\text{C}$  corresponds to  $50^{\circ}\text{F}$  and  $30^{\circ}\text{C}$  corresponds to  $86^{\circ}\text{F}$ . Use the equation to find the Celsius measure of  $12^{\circ}\text{F}$ .


A)  $C = \frac{5}{9}F - \frac{160}{9}; -\frac{100}{9}^{\circ}\text{C}$

B)  $C = \frac{5}{9}F + \frac{160}{9}; \frac{220}{9}^{\circ}\text{C}$

C)  $C = \frac{9}{5}F - 80; -\frac{292}{5}^{\circ}\text{C}$

D)  $C = \frac{5}{9}F - 10; -\frac{10}{3}^{\circ}\text{C}$

- 10) A school has just purchased new computer equipment for \$21,000.00. The graph shows the depreciation of the equipment over 5 years. The point (0, 21,000) represents the purchase price and the point (5, 0) represents when the equipment will be replaced. Write a linear equation in slope-intercept form that relates the value of the equipment,  $y$ , to years after purchase  $x$ . Use the equation to predict the value of the equipment after 2 years.



- A)  $y = -4200x + 21,000$ ;  
value after 2 years is \$12,600.00;
- B)  $y = 21,000x + 5$ ;  
value after 2 years is \$12,600.00
- C)  $y = 4200x - 21,000$ ;  
value after 2 years is \$12,600.00
- D)  $y = -21,000x + 21,000$ ;  
value after 2 years is \$-21,000.00
- 11) The average value of a certain type of automobile was \$13,200 in 1991 and depreciated to \$9900 in 1994. Let  $y$  be the average value of the automobile in the year  $x$ , where  $x = 0$  represents 1991. Write a linear equation that relates the average value of the automobile,  $y$ , to the year  $x$ .
- A)  $y = -1100x + 13,200$
- B)  $y = -1100x + 9900$
- C)  $y = -1100x + 6600$
- D)  $y = -\frac{1}{1100}x - 9900$
- 12) An investment is worth \$2423 in 1995. By 1999 it has grown to \$2919. Let  $y$  be the value of the investment in the year  $x$ , where  $x = 0$  represents 1995. Write a linear equation that relates the value of the investment,  $y$ , to the year  $x$ .
- A)  $y = 124x + 2423$
- B)  $y = \frac{1}{124}x + 2423$
- C)  $y = -124x + 3415$
- D)  $y = -124x + 2423$
- 13) A faucet is used to add water to a large bottle that already contained some water. After it has been filling for 5 seconds, the gauge on the bottle indicates that it contains 29 ounces of water. After it has been filling for 13 seconds, the gauge indicates the bottle contains 69 ounces of water. Let  $y$  be the amount of water in the bottle  $x$  seconds after the faucet was turned on. Write a linear equation that relates the amount of water in the bottle,  $y$ , to the time  $x$ .
- A)  $y = 5x + 4$
- B)  $y = \frac{1}{5}x + 28$
- C)  $y = -5x + 54$
- D)  $y = 5x + 56$
- 14) When making a telephone call using a calling card, a call lasting 3 minutes cost \$1.20. A call lasting 13 minutes cost \$3.70. Let  $y$  be the cost of making a call lasting  $x$  minutes using a calling card. Write a linear equation that relates the cost of a making a call,  $y$ , to the time  $x$ .
- A)  $y = 0.25x + 0.45$
- B)  $y = 4x - \frac{54}{5}$
- C)  $y = -0.25x + 1.95$
- D)  $y = 0.25x - 9.3$

15) A vendor has learned that, by pricing carmel apples at \$1.50, sales will reach 117 carmel apples per day. Raising the price to \$2.00 will cause the sales to fall to 97 carmel apples per day. Let  $y$  be the number of carmel apples the vendor sells at  $x$  dollars each. Write a linear equation that relates the number of carmel apples sold per day,  $y$ , to the price  $x$ .

- A)  $y = -40x + 177$       B)  $y = -\frac{1}{40}x + \frac{9357}{80}$       C)  $y = 40x + 57$       D)  $y = -40x - 177$

16) A vendor has learned that, by pricing hot dogs at \$1.25, sales will reach 131 hot dogs per day. Raising the price to \$1.75 will cause the sales to fall to 107 hot dogs per day. Let  $y$  be the number of hot dogs the vendor sells at  $x$  dollars each. Write a linear equation that relates the number of hot dogs sold per day to the price  $x$ .

- A)  $y = -48x + 191$       B)  $y = -\frac{1}{48}x + \frac{25147}{192}$       C)  $y = 48x + 71$       D)  $y = -48x - 191$

## 6 Write the Equation of a Line in Slope-Intercept Form

**MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.**

**Find the slope-intercept form of the equation of the line with the given properties.**

1) Slope = 4; containing the point  $(-4, -10)$

- A)  $y = 4x + 6$       B)  $y = 4x - 6$       C)  $y = -4x - 6$       D)  $y = -4x + 6$

2) Slope = 0; containing the point  $(-2, 9)$

- A)  $y = 9$       B)  $y = -2$       C)  $x = 9$       D)  $x = -2$

3) Slope = -8; y-intercept = 15

- A)  $y = -8x + 15$       B)  $y = -8x - 15$       C)  $y = 15x + 8$       D)  $y = 15x - 8$

4) x-intercept = 8; y-intercept = 3

- A)  $y = -\frac{3}{8}x + 3$       B)  $y = -\frac{3}{8}x + 8$       C)  $y = \frac{3}{8}x + 3$       D)  $y = -\frac{8}{3}x + 8$

**Write the equation in slope-intercept form.**

5)  $12x + 5y = 8$

- A)  $y = -\frac{12}{5}x + \frac{8}{5}$       B)  $y = \frac{12}{5}x + \frac{8}{5}$       C)  $y = 12x - 8$       D)  $y = \frac{12}{5}x - \frac{8}{5}$

6)  $4x + 5y = 7$

- A)  $y = \frac{4}{5}x + \frac{7}{5}$       B)  $y = 4x + 8$       C)  $y = \frac{8}{5}x + \frac{7}{5}$       D)  $y = \frac{5}{4}x - \frac{7}{4}$

7)  $9x - 8y = 5$

- A)  $y = \frac{9}{8}x - \frac{5}{8}$       B)  $y = \frac{9}{8}x + \frac{5}{8}$       C)  $y = \frac{8}{9}x + \frac{5}{9}$       D)  $y = 9x - 5$

8)  $x = 9y + 4$

- A)  $y = \frac{1}{9}x - \frac{4}{9}$       B)  $y = 9x - 4$       C)  $y = \frac{1}{9}x - 4$       D)  $y = x - \frac{4}{9}$

**Solve.**

- 9) A truck rental company rents a moving truck one day by charging \$25 plus \$0.09 per mile. Write a linear equation that relates the cost  $C$ , in dollars, of renting the truck to the number  $x$  of miles driven. What is the cost of renting the truck if the truck is driven 200 miles?
- A)  $C = 0.09x + 25$ ; \$43.00      B)  $C = 25x + 0.09$ ; \$5000.09  
C)  $C = 0.09x + 25$ ; \$26.80      D)  $C = 0.09x - 25$ ; \$7.00
- 10) Each week a soft drink machine sells  $x$  cans of soda for \$0.75/soda. The cost to the owner of the soda machine for each soda is \$0.10. The weekly fixed cost for maintaining the soda machine is \$25/week. Write an equation that relates the weekly profit,  $P$ , in dollars to the number of cans sold each week. Then use the equation to find the weekly profit when 92 cans of soda are sold in a week.
- A)  $P = 0.65x - 25$ ; \$34.80      B)  $P = 0.65x + 25$ ; \$84.80  
C)  $P = 0.75x - 25$ ; \$44.00      D)  $P = 0.75x + 25$ ; \$94.00
- 11) Each day the commuter train transports  $x$  passengers to or from the city at \$1.75/passenger. The daily fixed cost for running the train is \$1200. Write an equation that relates the daily profit,  $P$ , in dollars to the number of passengers each day. Then use the equation to find the daily profit when the train has 920 passengers in a day.
- A)  $P = 1.75x - 1200$ ; \$410      B)  $P = 1200 - 1.75x$ ; \$410  
C)  $P = 1.75x + 1200$ ; \$2810      D)  $P = 1.75x$ ; \$1610
- 12) Each month a beauty salon gives  $x$  manicures for \$12.00/manicure. The cost to the owner of the beauty salon for each manicure is \$7.35. The monthly fixed cost to maintain a manicure station is \$120.00. Write an equation that relates the monthly profit, in dollars, to the number of manicures given each month. Then use the equation to find the monthly profit when 200 manicures are given in a month.
- A)  $P = 4.65x - 120$ ; \$810      B)  $P = 12x - 120$ ; \$2280  
C)  $P = 7.35x - 120$ ; \$1350      D)  $P = 4.65x$ ; \$930
- 13) Each month a gas station sells  $x$  gallons of gas at \$1.92/gallon. The cost to the owner of the gas station for each gallon of gas is \$1.32. The monthly fixed cost for running the gas station is \$37,000. Write an equation that relates the monthly profit, in dollars, to the number of gallons of gasoline sold. Then use the equation to find the monthly profit when 75,000 gallons of gas are sold in a month.
- A)  $P = 0.60x - 37,000$ ; \$8000      B)  $P = 1.32x - 37,000$ ; \$62,000  
C)  $P = 1.92x - 37,000$ ; \$107,000      D)  $P = 0.60x + 37,000$ ; \$82,000

**7 Identify the Slope and y-Intercept of a Line from Its Equation**

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Find the slope and y-intercept of the line.**

1)  $y = \frac{1}{4}x + 3$

A) slope =  $\frac{1}{4}$ ; y-intercept = 3

B) slope = 3; y-intercept =  $\frac{1}{4}$

C) slope = 4; y-intercept = - 3

D) slope =  $-\frac{1}{4}$ ; y-intercept = - 3

2)  $x + y = -5$

A) slope = -1; y-intercept = -5

B) slope = 1; y-intercept = -5

C) slope = 0; y-intercept = -5

D) slope = -1; y-intercept = 5

3)  $4x + y = -10$

A) slope = -4; y-intercept = -10

C) slope = 4; y-intercept = -10

B) slope =  $-\frac{1}{4}$ ; y-intercept =  $-\frac{5}{2}$

D) slope =  $-\frac{2}{5}$ ; y-intercept =  $-\frac{1}{10}$

4)  $-6x + 7y = 8$

A) slope =  $\frac{6}{7}$ ; y-intercept =  $\frac{8}{7}$

C) slope =  $\frac{12}{7}$ ; y-intercept =  $\frac{8}{7}$

B) slope = 6; y-intercept = 12

D) slope =  $\frac{7}{6}$ ; y-intercept =  $-\frac{8}{6}$

5)  $17x + 4y = 5$

A) slope =  $-\frac{17}{4}$ ; y-intercept =  $\frac{5}{4}$

C) slope = 17; y-intercept = 5

B) slope =  $\frac{17}{4}$ ; y-intercept =  $\frac{5}{4}$

D) slope =  $\frac{17}{4}$ ; y-intercept =  $-\frac{5}{4}$

6)  $7x - 2y = 9$

A) slope =  $\frac{7}{2}$ ; y-intercept =  $-\frac{9}{2}$

C) slope =  $\frac{2}{7}$ ; y-intercept =  $\frac{9}{7}$

B) slope =  $\frac{7}{2}$ ; y-intercept =  $\frac{9}{2}$

D) slope = 7; y-intercept = 9

7)  $11x - 2y = 22$

A) slope =  $\frac{11}{2}$ ; y-intercept = -11

C) slope =  $\frac{2}{11}$ ; y-intercept = 2

B) slope =  $-\frac{11}{2}$ ; y-intercept = 11

D) slope = 11; y-intercept = 22

8)  $x + 7y = 1$

A) slope =  $-\frac{1}{7}$ ; y-intercept =  $\frac{1}{7}$

C) slope =  $\frac{1}{7}$ ; y-intercept =  $\frac{1}{7}$

B) slope = 1; y-intercept = 1

D) slope = -7; y-intercept = 7

9)  $-x + 11y = 110$

A) slope =  $\frac{1}{11}$ ; y-intercept = 10

C) slope = -1; y-intercept = 110

B) slope =  $-\frac{1}{11}$ ; y-intercept = 10

D) slope = 11; y-intercept = -110

10)  $y = 3$

A) slope = 0; y-intercept = 3

C) slope = 1; y-intercept = 3

B) slope = 3; y-intercept = 0

D) slope = 0; no y-intercept

11)  $x = -4$

A) slope undefined; no y-intercept

C) slope = -4; y-intercept = 0

B) slope = 0; y-intercept = -4

D) slope undefined; y-intercept = -4



12)  $y = -3x$

A) slope = -3; y-intercept = 0

B) slope = 3; y-intercept = 0

C) slope =  $-\frac{1}{3}$ ; y-intercept = 0

D) slope = 0; y-intercept = -3

**8 Graph Lines Written in General Form Using Intercepts**

**MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.**

**Find the general form of the equation for the line with the given properties.**

1) Slope =  $\frac{2}{3}$ ; y-intercept =  $\frac{5}{3}$

A)  $2x - 3y = -5$

B)  $2x + 3y = -5$

C)  $y = \frac{2}{3}x + \frac{5}{3}$

D)  $y = \frac{2}{3}x - \frac{5}{3}$

2) Slope =  $-\frac{5}{8}$ ; containing the point (3, 3)

A)  $5x + 8y = 39$

B)  $5x - 8y = 39$

C)  $5x + 8y = -39$

D)  $8x + 5y = -39$

3) Slope =  $-\frac{4}{7}$ ; containing the point (0, 3)

A)  $4x + 7y = 21$

B)  $4x - 7y = 21$

C)  $4x + 7y = -21$

D)  $7x + 4y = -21$

4) Slope =  $\frac{7}{9}$ ; containing (0, 3)

A)  $-7x + 9y = 27$


B)  $-7x - 9y = 27$

C)  $-7x + 9y = -27$


D)  $9x - 7y = -27$

**Find the slope of the line and sketch its graph.**


5)  $3x + 5y = 19$




A) slope =  $-\frac{3}{5}$




B) slope =  $\frac{3}{5}$




C) slope =  $-\frac{5}{3}$




D) slope =  $\frac{5}{3}$




6)  $3x - 4y = -6$




A) slope =  $\frac{3}{4}$




B) slope =  $-\frac{3}{4}$



C) slope =  $\frac{4}{3}$




D) slope =  $-\frac{4}{3}$



**Solve the problem.**

7) Find an equation in general form for the line graphed on a graphing utility.



A)  $x + 2y = -2$

B)  $y = -\frac{1}{2}x - 1$

C)  $2x + y = -1$


D)  $y = -2x - 1$

## 9 Find Equations of Parallel Lines

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Find an equation for the line with the given properties.**

- 1) The solid line L contains the point (2, 1) and is parallel to the dotted line whose equation is  $y = 2x$ . Give the equation for the line L in slope-intercept form.




- A)  $y = 2x - 3$                       B)  $y = 2x - 1$                       C)  $y - 1 = 2(x - 2)$                       D)  $y = 2x + 8$
- 2) Parallel to the line  $y = 2x$ ; containing the point (8, 8)  
 A)  $y = 2x - 8$                       B)  $y = 2x + 8$                       C)  $y - 8 = 2x - 8$                       D)  $y = 2x$
- 3) Parallel to the line  $x - 2y = 7$ ; containing the point (0, 0)  
 A)  $y = \frac{1}{2}x$                       B)  $y = \frac{1}{2}x + 7$                       C)  $y = -3$                       D)  $y = -\frac{1}{2}x$
- 4) Parallel to the line  $5x - y = 4$ ; containing the point (0, 0)  
 A)  $y = 5x$                       B)  $y = -\frac{1}{5}x + 4$                       C)  $y = -\frac{1}{5}x$                       D)  $y = \frac{1}{5}x$
- 5) Parallel to the line  $y = 8$ ; containing the point (7, 5)  
 A)  $y = 5$                       B)  $y = -5$                       C)  $y = 8$                       D)  $y = 7$
- 6) Parallel to the line  $x = -5$ ; containing the point (6, 2)  
 A)  $x = 6$                       B)  $x = 2$                       C)  $y = -5$                       D)  $y = 2$
- 7) Parallel to the line  $3x + 2y = 17$ ; containing the point (5, 3)  
 A)  $3x + 2y = 21$                       B)  $3x - 2y = 21$                       C)  $2x + 3y = 3$                       D)  $5x + 2y = 17$
- 8) Parallel to the line  $4x - 3y = 2$ ; x-intercept = 2  
 A)  $4x - 3y = 8$                       B)  $4x - 3y = -6$                       C)  $-3x - 4y = -6$                       D)  $-3x - 4y = -8$

## 10 Find Equations of Perpendicular Lines

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

**Find an equation for the line with the given properties.**

- 1) The solid line L contains the point (2, 4) and is perpendicular to the dotted line whose equation is  $y = 2x$ .  
Give the equation of line L in slope-intercept form.



- A)  $y = -\frac{1}{2}x + 5$       B)  $y - 4 = -\frac{1}{2}(x - 2)$       C)  $y = \frac{1}{2}x + 5$       D)  $y - 4 = 2(x - 2)$
- 2) Perpendicular to the line  $y = -3x - 2$ ; containing the point  $(-2, 3)$   
A)  $y = \frac{1}{3}x + \frac{11}{3}$       B)  $y = -\frac{1}{3}x + \frac{11}{3}$       C)  $y = 3x + \frac{11}{3}$       D)  $y = -3x + \frac{11}{3}$
- 3) Perpendicular to the line  $y = \frac{1}{6}x + 5$ ; containing the point  $(2, -4)$   
A)  $y = -6x + 8$       B)  $y = 6x - 8$       C)  $y = -6x - 8$       D)  $y = -\frac{1}{6}x - \frac{4}{3}$
- 4) Perpendicular to the line  $-5x - y = 2$ ; containing the point  $(0, -\frac{2}{5})$   
A)  $y = \frac{1}{5}x - \frac{2}{5}$       B)  $y = \frac{1}{5}x + 2$       C)  $y = -\frac{1}{5}$       D)  $y = -\frac{1}{5}x - \frac{2}{5}$
- 5) Perpendicular to the line  $x - 5y = 3$ ; containing the point  $(5, 3)$   
A)  $y = -5x + 28$       B)  $y = 5x - 28$       C)  $y = -5x - 28$       D)  $y = -\frac{1}{5}x - \frac{28}{5}$
- 6) Perpendicular to the line  $y = 4$ ; containing the point  $(7, 3)$   
A)  $x = 7$       B)  $x = 3$       C)  $y = 7$       D)  $y = 3$
- 7) Perpendicular to the line  $x = 6$ ; containing the point  $(5, 3)$   
A)  $y = 3$       B)  $x = 3$       C)  $y = 5$       D)  $x = 5$
- 8) Perpendicular to the line  $-5x - 8y = -24$ ; containing the point  $(8, 2)$   
A)  $8x - 5y = 54$       B)  $8x + 5y = 54$       C)  $-5x + 8 = -5$       D)  $8x + 8y = -24$
- 9) Perpendicular to the line  $7x - 2y = -35$ ; containing the point  $(-3, 2)$   
A)  $-2x - 7y = -8$       B)  $-2x + 7y = -8$       C)  $7x + 2y = -8$       D)  $-2x + 7y = -35$

10) Perpendicular to the line  $-5x - 2y = 2$ ; y-intercept =  $-5$

A)  $-2x + 5y = -25$

B)  $-5x - 2y = 10$

C)  $-2x + 5y = 10$

D)  $-5x - 2y = 25$

Decide whether the pair of lines is parallel, perpendicular, or neither.

11)  $3x - 8y = -16$

$32x + 12y = -20$

A) parallel

B) perpendicular

C) neither

12)  $3x - 4y = 3$

$8x + 6y = 14$

A) parallel

B) perpendicular

C) neither

13)  $12x + 4y = 16$

$21x + 7y = 30$

A) parallel

B) perpendicular

C) neither


## 1.4 Circles

### 1 Write the Standard Form of the Equation of a Circle

**MULTIPLE CHOICE.** Choose the one alternative that best completes the statement or answers the question.

Write the standard form of the equation of the circle.

1)




A)  $(x - 5)^2 + (y - 4)^2 = 9$

B)  $(x - 5)^2 + (y - 4)^2 = 3$

C)  $(x + 5)^2 + (y + 4)^2 = 9$

D)  $(x + 5)^2 + (y + 4)^2 = 3$

2)



A)  $(x - 2)^2 + (y - 4)^2 = 36$

B)  $(x + 2)^2 + (y + 4)^2 = 36$

C)  $(x - 4)^2 + (y - 2)^2 = 36$

D)  $(x + 4)^2 + (y + 2)^2 = 36$

Write the standard form of the equation of the circle with radius  $r$  and center  $(h, k)$ .

3)  $r = 3$ ;  $(h, k) = (0, 0)$

A)  $x^2 + y^2 = 9$

B)  $x^2 + y^2 = 3$

C)  $(x - 3)^2 + (y - 3)^2 = 9$

D)  $(x - 3)^2 + (y - 3)^2 = 3$

4)  $r = 3$ ;  $(h, k) = (9, -8)$

A)  $(x - 9)^2 + (y + 8)^2 = 9$

B)  $(x + 9)^2 + (y - 8)^2 = 9$

C)  $(x - 9)^2 + (y + 8)^2 = 3$

D)  $(x + 9)^2 + (y - 8)^2 = 3$

5)  $r = 2$ ;  $(h, k) = (3, 0)$

A)  $(x - 3)^2 + y^2 = 4$

B)  $(x + 3)^2 + y^2 = 4$

C)  $x^2 + (y - 3)^2 = 2$

D)  $x^2 + (y + 3)^2 = 2$

6)  $r = 7$ ;  $(h, k) = (0, 4)$

A)  $x^2 + (y - 4)^2 = 49$

B)  $x^2 + (y + 4)^2 = 7$

C)  $(x - 4)^2 + y^2 = 49$

D)  $(x + 4)^2 + y^2 = 49$

7)  $r = \sqrt{2}$ ;  $(h, k) = (4, 6)$

A)  $(x - 4)^2 + (y - 6)^2 = 2$

B)  $(x + 4)^2 + (y + 6)^2 = 2$

C)  $(x - 6)^2 + (y - 4)^2 = 4$

D)  $(x + 6)^2 + (y + 4)^2 = 4$

8)  $r = \sqrt{10}$ ;  $(h, k) = (0, 8)$

A)  $x^2 + (y - 8)^2 = 10$

B)  $x^2 + (y + 8)^2 = 10$

C)  $(x - 8)^2 + y^2 = 100$

D)  $(x + 8)^2 + y^2 = 100$

Solve the problem.

9) Find the equation of a circle in standard form where  $C(6, -2)$  and  $D(-4, 4)$  are endpoints of a diameter.

A)  $(x - 1)^2 + (y - 1)^2 = 34$

B)  $(x + 1)^2 + (y + 1)^2 = 34$

C)  $(x - 1)^2 + (y - 1)^2 = 136$

D)  $(x + 1)^2 + (y + 1)^2 = 136$

10) Find the equation of a circle in standard form with center at the point  $(-3, 2)$  and tangent to the line  $y = 4$ .

A)  $(x + 3)^2 + (y - 2)^2 = 4$

B)  $(x + 3)^2 + (y - 2)^2 = 16$

C)  $(x - 3)^2 + (y + 2)^2 = 4$

D)  $(x - 3)^2 + (y + 2)^2 = 16$

11) Find the equation of a circle in standard form that is tangent to the line  $x = -3$  at  $(-3, 5)$  and also tangent to the line  $x = 9$ .

A)  $(x - 3)^2 + (y - 5)^2 = 36$

B)  $(x + 3)^2 + (y - 5)^2 = 36$

C)  $(x - 3)^2 + (y + 5)^2 = 36$

D)  $(x + 3)^2 + (y + 5)^2 = 36$

**Find the center  $(h, k)$  and radius  $r$  of the circle with the given equation.**

12)  $x^2 + y^2 = 9$

A)  $(h, k) = (0, 0); r = 3$

B)  $(h, k) = (0, 0); r = 9$

C)  $(h, k) = (3, 3); r = 3$

D)  $(h, k) = (3, 3); r = 9$

13)  $(x - 8)^2 + (y + 5)^2 = 81$

A)  $(h, k) = (8, -5); r = 9$

B)  $(h, k) = (8, -5); r = 81$

C)  $(h, k) = (-5, 8); r = 9$

D)  $(h, k) = (-5, 8); r = 81$

14)  $(x - 2)^2 + y^2 = 64$

A)  $(h, k) = (2, 0); r = 8$

B)  $(h, k) = (0, 2); r = 8$

C)  $(h, k) = (0, 2); r = 64$

D)  $(h, k) = (2, 0); r = 64$

15)  $x^2 + (y - 6)^2 = 16$

A)  $(h, k) = (0, 6); r = 4$

B)  $(h, k) = (6, 0); r = 4$

C)  $(h, k) = (6, 0); r = 16$

D)  $(h, k) = (0, 6); r = 16$

16)  $2(x - 1)^2 + 2(y - 4)^2 = 18$

A)  $(h, k) = (1, 4); r = 3$


B)  $(h, k) = (1, 4); r = 6$

C)  $(h, k) = (-1, -4); r = 3$

D)  $(h, k) = (-1, -4); r = 6$

**Solve the problem.**

17) Find the standard form of the equation of the circle. Assume that the center has integer coordinates and the radius is an integer.



A)  $(x + 1)^2 + (y - 2)^2 = 9$

B)  $(x - 1)^2 + (y + 2)^2 = 9$

C)  $x^2 + y^2 + 2x - 4y - 4 = 0$

D)  $x^2 + y^2 - 2x + 4y - 4 = 0$




## 2 Graph a Circle


MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Graph the circle with radius  $r$  and center  $(h, k)$ .


1)  $r = 3$ ;  $(h, k) = (0, 0)$




A)




B)




C)




D)




2)  $r = 5$ ;  $(h, k) = (0, 3)$




A)




B)




C)




D)




3)  $r = 3$ ;  $(h, k) = (5, 0)$




A)




B)




C)




D)




4)  $r = 3$ ;  $(h, k) = (1, 2)$




A)




B)



C)




D)




Graph the equation.


5)  $x^2 + y^2 = 9$




A)




B)




C)




D)




$$6) (x + 5)^2 + (y + 5)^2 = 4$$




A)




B)




C)




D)




7)  $x^2 + (y - 5)^2 = 16$




A)




B)




C)




D)




8)  $(x - 2)^2 + y^2 = 25$




A)




B)



C)



D)






### 3 Work with the General Form of the Equation of a Circle


MULTIPLE CHOICE. Choose the one alternative that best completes the statement or answers the question.

Find the center  $(h, k)$  and radius  $r$  of the circle. Graph the circle.


1)  $x^2 + y^2 - 6x - 10y + 30 = 0$




A)  $(h, k) = (3, 5); r = 2$




B)  $(h, k) = (-3, -5); r = 2$




C)  $(h, k) = (3, -5); r = 2$




D)  $(h, k) = (-3, 5); r = 2$




2)  $x^2 + y^2 + 12x + 10y + 52 = 0$




A)  $(h, k) = (-6, -5); r = 3$




B)  $(h, k) = (6, -5); r = 3$



C)  $(h, k) = (6, 5); r = 3$



D)  $(h, k) = (-6, 5); r = 3$



Find the center  $(h, k)$  and radius  $r$  of the circle with the given equation.

3)  $x^2 - 14x + 49 + (y - 5)^2 = 64$

A)  $(h, k) = (7, 5); r = 8$

C)  $(h, k) = (-7, -5); r = 64$

B)  $(h, k) = (5, 7); r = 8$

D)  $(h, k) = (-5, -7); r = 64$

4)  $x^2 - 2x + 1 + y^2 + 2y + 1 = 49$

A)  $(h, k) = (1, -1); r = 7$

C)  $(h, k) = (-1, 1); r = 49$

B)  $(h, k) = (-1, 1); r = 7$

D)  $(h, k) = (1, -1); r = 49$

5)  $x^2 + y^2 + 18x - 8y + 97 = 36$

A)  $(h, k) = (-9, 4); r = 6$


C)  $(h, k) = (9, -4); r = 36$

B)  $(h, k) = (4, -9); r = 6$

D)  $(h, k) = (-4, 9); r = 36$



- 15) If a satellite is placed in a circular orbit of 410 kilometers above the Earth, what is the equation of the path of the satellite if the origin is placed at the center of the Earth (the diameter of the Earth is approximately 12,740 kilometers)?
- A)  $x^2 + y^2 = 45,968,400$                       B)  $x^2 + y^2 = 168,100$   
 C)  $x^2 + y^2 = 40,576,900$                       D)  $x^2 + y^2 = 172,922,500$
- 16) A power outage affected all homes and businesses within a 17 mi radius of the power station. If the power station is located 12 mi north of the center of town, find an equation of the circle consisting of the furthest points from the station affected by the power outage.
- A)  $x^2 + (y - 12)^2 = 289$                       B)  $x^2 + (y + 12)^2 = 289$   
 C)  $x^2 + (y - 12)^2 = 17$                       D)  $x^2 + y^2 = 289$
- 17) A power outage affected all homes and businesses within a 2 mi radius of the power station. If the power station is located 3 mi west and 2 mi north of the center of town, find an equation of the circle consisting of the furthest points from the station affected by the power outage.
- A)  $(x + 3)^2 + (y - 2)^2 = 4$                       B)  $(x - 3)^2 + (y - 2)^2 = 4$   
 C)  $(x + 3)^2 + (y + 2)^2 = 4$                       D)  $(x - 3)^2 + (y + 2)^2 = 4$
- 18) A Ferris wheel has a diameter of 320 feet and the bottom of the Ferris wheel is 11 feet above the ground. Find the equation of the wheel if the origin is placed on the ground directly below the center of the wheel, as illustrated.



- A)  $x^2 + (y - 171)^2 = 25,600$                       B)  $x^2 + (y - 160)^2 = 25,600$   
 C)  $x^2 + (y - 160)^2 = 102,400$                       D)  $x^2 + y^2 = 25,600$

## Ch. 1 Graphs

### Answer Key

#### 1.1 The Distance and Midpoint Formulas

##### 1 Rectangular Coordinates

- 1) A
- 2) B
- 3) C
- 4) D
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A
- 15) A
- 16) A
- 17) A
- 18) A

##### 2 Use the Distance Formula

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A
- 15) B
- 16) B
- 17) A
- 18) A
- 19) A
- 20) A
- 21) A
- 22) A
- 23) A

##### 3 Use the Midpoint Formula

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A

- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A

## 1.2 Graphs of Equations in Two Variables; Intercepts; Symmetry

### 1 Graph Equations by Plotting Points

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A

### 2 Find Intercepts from a Graph

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A

### 3 Find Intercepts from an Equation

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A

### 4 Test an Equation for Symmetry with Respect to the x-Axis, the y-Axis, and the Origin

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A

- 11) A
- 12) A
- 13) A
- 14) E
- 15) A
- 16) A
- 17) A
- 18) D
- 19) D
- 20) E
- 21) A
- 22) A
- 23) A
- 24) E
- 25) A
- 26) E
- 27) A
- 28) A

## **5 Know How to Graph Key Equations**

- 1) A
- 2) A
- 3) A
- 4) A

## **1.3 Lines**

### **1 Calculate and Interpret the Slope of a Line**

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) D
- 10) A

### **2 Graph Lines Given a Point and the Slope**

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A

### **3 Find the Equation of a Vertical Line**

- 1) A
- 2) A
- 3) A
- 4) A

### **4 Use the Point-Slope Form of a Line; Identify Horizontal Lines**

- 1) A

- 2) A
- 3) A
- 4) A
- 5) A

**5 Find the Equation of a Line Given Two Points**

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A
- 14) A
- 15) A
- 16) A

**6 Write the Equation of a Line in Slope-Intercept Form**

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A
- 13) A

**7 Identify the Slope and y-Intercept of a Line from Its Equation**

- 1) A
- 2) A
- 3) A
- 4) A
- 5) A
- 6) A
- 7) A
- 8) A
- 9) A
- 10) A
- 11) A
- 12) A

**8 Graph Lines Written in General Form Using Intercepts**

- 1) A
- 2) A
- 3) A
- 4) A



5) A

6) A

7) A

## 9 Find Equations of Parallel Lines

1) A

2) A

3) A

4) A

5) A

6) A

7) A

8) A

## 10 Find Equations of Perpendicular Lines

1) A

2) A

3) A

4) A

5) A

6) A

7) A

8) A

9) A

10) A

11) B

12) B

13) A

## 1.4 Circles

### 1 Write the Standard Form of the Equation of a Circle

1) A

2) A

3) A

4) A

5) A

6) A

7) A

8) A

9) A

10) A

11) A

12) A

13) A

14) A

15) A

16) A

17) A

### 2 Graph a Circle

1) A

2) A

3) A

4) A

5) A

6) A

7) A

8) A

**3 Work with the General Form of the Equation of a Circle**

1) A

2) A

3) A

4) A

5) A

6) A

7) A

8) A

9) A

10) A

11) A

12) A

13) A

14) A

15) A

16) A

17) A

18) A